Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

937

Vol. 95 | BANGALORE, THURSDAY, JULY , 1960 (ASHADHA 16, SAKA ERA 1882) | No. 27

# PART V

## SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

### OFFICE OF THE STATE STATISTICIAN FOR MYSORE, BANGALORE

PART IV—WEATHER AND CROP REPORT

Weekly Weather and Crop Report for the week ending Wednesday the 15th June 1960.

| No. of rainy days in the week | Rainfall in Millimeters: During the week | | Rainfall in Millimeters: Since the beginning of the season | | Condition of: Crop | Live-stock | Fodder | Water Supply | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | Actual | Normal | Actual | Normal | | | | | |
| FROM 2ND JUNE 1960. | | | | | | | | | |
| **1. Bangalore District.** | | | | | | | | | |
| 1 | 12·0 | 15·3 | 29·9 | 42.1 | Fair | ... ... Good | ... Available | ... Sufficient, except in Ramanagaram Taluk. | (1) |
| **2. Kolar District.** | | | | | | | | | |
| 1 | 12·1 | 12·3 | 16·9 | 34·4 | Do | ... ... Good | ... Do | ... Sufficient, | (2) |
| **3. Tumkur District.** | | | | | | | | | |
| 1 | 23·8 | 12·8 | 38·9 | 38·3 | Do | ... Do do | ... Do | ... Sufficient except in Madhugiri Taluk. | |
| **4. Mysore District.** | | | | | | | | | |
| ... | 0·8 | 17·6 | 1·7 | 40·1 | Fair, except in Nanjangud Tq. where dry crops are reported to be withering for want of rain. | Good | ... Available except in two hoblies of Nanjangud Taluk. | Sufficient except in 2 Hoblies of Nanjangud Taluk. | |
| **5. Mandya District.** | | | | | | | | | |
| ... | ... | 13·9 | 1.7 | 35·4 | Fair | ... ... Good | ... Do | ... Sufficient | (4) |
| **6. Hassan District.** | | | | | | | | | |
| 1 | 8·4 | 22·9 | 8·8 | 50·2 | Fair | ... ... Good | ... Do | ... Sufficient | (5) |
| **7. Chickmagalur District.** | | | | | | | | | |
| 4 | 39·9 | 78·4 | 67·8 | 123 6 | Fair | ... ... Good | ... Do | ... Sufficient | |
| **8. Shimoga District.** | | | | | | | | | |
| 3 | 29 8 | 84·4 | 46·9 | 127·3 | Fair except in Channagiri Tq. where Crops are withering for want of rain. | Good | ... Do | ... Sufficient | (6) |

| No. of rainy days in the week | Rainfall in Millimeters: During the week | | Since the beginning of the season* | | Condition of: Crop | Live-stock | Fodder | Water Supply | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| | Actual | Normal | Actual | Normal | | | | | |
| **9. Chitradurga District.** | | | | | | | | | |
| ... | 0·4 | 11·3 | 0·6 | 35·2 | Fair except in Chitradurga Tq. where Crops are withering for want of rain. | Good, except for the prevalence of "Black Quarter" at one village of Molakalmuru Tq. and other Cattle diseases at one village of Hosadurga of Taluk. | Sufficient | Adequate | |
| **10. Bellary District.** | | | | | | | | | |
| 2 | 14·6 | N.A. | 22·3 | N.A. | Fair | Good | Available | Sufficient | (7) |
| **11. Bijapur District.** | | | | | | | | | |
| ... | 14·8 | N.A. | 25·9 | N.A. | Fair | Good | Adequate except Muddebihal Tq. | Sufficient except at 6 villages of Bilgi Tq. | (8) |
| **12. Belgaum District.** | | | | | | | | | |
| | 2·9 | N.A. | 4·0 | N.A. | Fair | Good | Sufficient, except in Khanapur Tq. | Sufficient, except in Belgaum and Khanapur Tqs. | (9) |
| **13. Dharwar District.** | | | | | | | | | |
| 2 | 6·4 | N.A. | 8.4 | N.A. | Fair | Good except for the prevalence of Cattle disease at one village each of Kalghatgi and Haveri Tqs. | Sufficient except in Gadag Tq. | Sufficient, except at 4 villages of Gadag Tq. | (10) |
| **14. North Kanara District.** | | | | | | | | | |
| 7 | 185·0 | N.A. | 262·7 | N.A. | Fair | Good | Sufficient, | Sufficient | (11) |
| **15. Gulbarga District.** | | | | | | | | | |
| ... | ... | N.A. | 46·2 | N.A. | Fair | Good except at 2 villages of Shahpur Tq. where Cattle disease is prevailing. | Sufficient | Sufficient | (12) |
| **16. Raichur District.** | | | | | | | | | |
| 1 | 13·3 | N.A. | 32·9 | N.A. | Nil | Good | Available | Sufficient except in Deodurg Taluk | (13) |
| **17. Bidar District.** | | | | | | | | | |
| ... | ... | N.A. | ... | N.A. | Nil | Good | Available | Sufficient | (14) |
| **18. South Kanara District.** | | | | | | | | | |
| 7 | 313·1 | N.A. | 464·0 | N.A. | Fair | Good | Do | Sufficient | |
| **19. Coorg District.** | | | | | | | | | |
| 5 | 50·4 | N.A. | 103·1 | N.A. | Fair | Good except in some parts of Somwarpet Tq. where "Foot and Mouth disease is prevailing. | Do | Sufficient | |

Remarks—(1) Refers to 9 Taluks. (2) Refers to 9 Taluks. (3) Refers to 9 Taluks. (4) Refers to 6 Taluks. (5) Refers to 6 Taluks (6) Refers to 7 Taluks. (7) Refers to 7 Taluks. (8) Refers to 9 Taluks. (9) Refers to 8 Taluks. (10) Refers to 12 Taluks. (11) Refers to 10 Taluks. (12) Refers to 7 Taluks. (13) Refers to 6 Taluks. (14) Refers to Taluks.

K. P. SRINATH,
For *State Statistician.*

## General Weekly Summary for the Week ending Wednesday, the 15th June 1960 of Mysore State.

| Rainfall | Sowing/Transplantation | Condition of standing crops | Harvest | General progress of agricultural operations | Water supply | Fodder and pasture | Condition of cattle |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | | 8 |
| **1. Bangalore District.** | | | | | | | |
| Sufficient in Hoskote Taluk and Moderate rainfall in Channapatna Taluk but insufficient in Devanahalli Taluk. | ..... ... | Standing Sugarcane crop is fair | Nil ... ... | Agricultural operations are held up in Bangalore North Taluk for want of rains. | Sufficient except in Ramanagaram Taluk. | Sufficient ... | Generally healthy |
| **2. Kolar District.** | | | | | | | |
| Moderate rainfall in Malur Taluk but insufficient in other Taluks. | ..... ... | Do ... | Summer Paddy is being harvested in Gauribidanur and Kolar Taluks. | Progress is fair ... | Sufficient ... | Do ... | Do |
| **3. Tumkur District.** | | | | | | | |
| Beneficial. (Nil in Gubbi, Turuvekere and Koratagere Taluks). | ... ... | Summer Paddy and transplanted Paddy is fair. | Harvesting of summer Paddy is in progress in Koratagere and Gubbi Taluks. | Progress is fair in 7 Taluks. | Sufficient except in Madhugiri Taluk. | Do ... | Do |
| **4. Mysore District.** | | | | | | | |
| No rainfall except in Kunigal Taluk. | Transplantation of Ragi is going on in Periyapatna Taluk. | Standing crops such as Kar Paddy, Kar Ragi, Sugarcane, Jola, Groundnut etc., are fair but the crops in Nanjangud, Periyapatna and Gundlupet Taluks are in need of immediate rains. | Karpaddy is being harvested in Yelandur Taluk and K. R. Nagar Taluk. | Ploughing and manuring operations are in progress in 5 Taluks. | Sufficient except in 2 hobliss of Nanjangud Taluk. | Sufficient, but scarcity is felt in 2 hobliss of Nanjangud Taluk. | Do |
| **5. Mandya District.** | | | | | | | |
| Nil ... | Paddy seedling is commenced in Pandavapura Taluk. | Standing Kar Ragi, Kar Paddy, Sugarcane and Jola crops are fair, but the rains are required for the standing crops in Nagamangala Taluk. | Harvesting of Kar Ragi and Kar Paddy in Pandavapura Taluk is in progress. | Progress is fair .. | Sufficien ... | Sufficient ... | Do |
| **6. Hassan District.** | | | | | | | |
| No rainfall except in Arasikere Taluk. | Sowing of Ragi, Jola, Groundnut, Chillies, Cotton in Arsikere Taluks and Transplantation of Paddy in Arkalgud Taluk are in progress. | Standing crops are fair except in Arkalgud Taluk, where the dry crops are in need of immediate rains. | Nil ... ... | Progress in 4 Taluks | Do | ... ... | Do |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---|---|---|---|---|---|---|---|
| | | | **7. Chikmagalur District.** | | | | |
| Sufficient (Nil in Kadur Taluk). | Sowing of Paddy is in progress in some parts of Tarikere and Mudigere Taluks. | Standing Paddy, Sugarcane, Groundnut, Coffee and Areca crops are fair | Nil | Progress in 7 Taluks | Sufficient ... | Sufficient ... | Generally healthy |
| | | | **8. Shimoga District.** | | | | |
| Sufficient and well distributed (Nil Honnali and Channagiri Taluks.) | Sowing of Paddy, Ragi, Groundnut in Honnali Tq. and Paddy, Jola in Bhadravathi Taluk and Paddy in Tirthahalli Taluk is in progress. | Standing crops are fair except in Channagiri Taluk, where the crops are needed of rains. | Nil | ... ... Progress is fair in 5 Taluks. | Do ... | Do ... | Do |
| | | | **9. Chitradurga District.** | | | | |
| No rainfall except in Hiriyur Taluk. | Sowing of Mungari crops is in progress. | Standing crops are fair except in Chitaldrug Taluk where the crops are with ering for want of rains. | Harvesting of Paddy and G. Nut in wet lands of Hiriyur Taluk is going on. | Do | Do ... | Do ... | Generally healthy except for the prevalence of 'Black Quarter' in one Village of Molakalmuru Taluk and 'parastic Diarrhoea'' in one village of Hosadurga Taluk |
| | | | **10. Bellary District.** | | | | |
| Moderate rainfall (Nil in Harpanahalli Taluk). | Sowing of Mungari crops has commenced in some Taluks. | Standing crops are fair ... | Nil | ... ... Progressing. | Do ... | Do | Generally healthy |
| | | | **11. Bijapur District.** | | | | |
| Beneficial (Nil in Badami, Mudhol, Jamkhandi, Bagalkot Taluks. | Sowing of Kharif Jowar, and Groundnut is in progress in Mudhol, Muddebihal and Bagewadi Taluks. | Irrigated and Garden crops are fair. | Nil | ... ... Sowing is held up for want of rains in Badami, Hungund, Bilgi and Bagalkot Taluks. | Do | Sufficient except in some places in Muddebihal and Hungund Taluks where scarcity for fodder is felt. | Do |
| | | | **12. Belgaum District.** | | | | |
| Insufficient in Hukeri Athani, Khanapur and Belgaum Taluks. | Sowing of Kharif Jowar, Groundnut in Hukeri Taluk, and Groundnut in Ramdrug Taluk is in progress. | Fair. | Nil | ... ... Sowing of Kharif crops is held up for want of rains in Parasgad Taluk | Sufficient except in some parts of Belgaum and Khanapur Taluks. | Sufficient except in Khanapur Taluk. | Do |
| | | | **13. Dharwar District.** | | | | |
| Scanty. ... | Sowing of Paddy, Same, Groundnut in Byadgi Taluk Groundnut, Jowar in Ron Taluk, Ground Nut in Gadag Taluk and Paddy in Hangal, Dharwar Taluks is in progress. | Fair. ... | Nil | ... ... Progressing but sowing is held for want of rains in Mundargi Taluk. | Sufficient except in 4 villages of Gadag Taluk. | Sufficient except in Mundargi Taluk. | Generally healthy except for the prevalence of Cattle disease in some villages of Kalghatgi Taluk and in one village of Haveri Taluk. |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **14. North Kanara District.** | | | | | | | | | | | |
| Sufficient and well distributed. | Sowing of Kharif paddy and its transplantation in some parts are in progress. | Fair. | ... | ... | Nil | ... | ... | Agricultural operations are in progress. | Adequate except in some villages of Haliyal Tq where scarcity for drinking water is felt. | Sufficient | ... | Generally healthy | ... |
| **15. Gulbarga District.** | | | | | | | | | | | |
| Nil | ... | Sowing of Sessmum, G. Nut Minor Millets in Gulbarga Taluks and Ground Nut in Sahapur Taluk is in progress. | Nil | ... | ... | Nil | ... | ... | Progressing in 3 Taluks. | Sufficient | ... | Do | Generally healthy, except for the prevalence of cattle disease in two villages of Shapur Taluk. |
| **16. Raichur District.** | | | | | | | | | | | |
| Slight rainfall in Sindhanur Manvi and Koppal Taluks. | Sowing of Kharif crops is in progress in some villages of Sindanur, Koppal and Manvi Taluk. | Kharif Jowar and Ground Nut crops in Koppal Taluk are fair. | | | Nil | ... | ... | Progressing in 4 Taluks. | Sufficient except in Deedurg Tq. | Do | | Generally healthy | ... |
| **17. Bidar District.** | | | | | | | | | | | |
| ... | ... | ... | ... | ... | Nil | ... | ... | ... | ... | ... | ... | ... | ... |
| **18. South Kanara District.** | | | | | | | | | | | |
| Sufficient | ... | Transplantation of I paddy crop is in progress in some taluks. | Fair | ... | ... | Nil | ... | ... | Progress is fair. | ... Sufficient. | ... | Do | ... Generally healthy. ... |
| **19. Coorg District.** | | | | | | | | | | | |
| Adequate and well distributed. | Sowing has been commenced | Coffee and Cardamum barries are developing well in Mercara Taluk. | | | Nil | ... | ... | Do | ... | Do | ... | Do | ... Generally healthy except for the prevalence of Foot and Mouth disease in some places of Mercara Taluk |

K. P. SRINATH,
For *State Statistician.*

## OFFICE OF THE CHIEF MARKETING OFFICER IN MYSORE, BANGALORE.

### WHOLESALE PRICES.

**Fortnightly return of wholesale prices prevailing in important markets on the last day of the fortnight ending on 29th February 1960.**

**Prices are in rupees per standard maund of 82 2/7 lbs. unless otherwise stated. When there is no reference to any specific quality, *fair average quality* is implied.**

| Commodities | Variety/Quality | Centres: Bangalore Rs.nP. Rs.nP. | Chikmagalur Rs.nP. Rs.nP. | Chitradurga Rs.nP. Rs.nP. | Hassan Rs.nP. Rs.nP. | Kolar Rs.nP. Rs.nP. | Mandya Rs.nP. Rs.nP. | Mysore Rs.nP. Rs.nP. | Shimoga Rs.nP. Rs.nP. | Tumkur Rs.nP. Rs.nP. | Dharwar Rs.nP. Rs.nP. | Belgaum Rs.nP. Rs.nP. | Bijapur Rs.nP. Rs.nP. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I. Cereals.— | | | | | | | | | | | | | |
| 1 Paddy ... | (a) Fine ... | 13 97—15 09 | ... | ... | 14 95—15 30 | 16 86 | 15 12—15 56 | 14 40—16 70 | ... | 9 25—11 25 | 11 50 | 13 00—14 50 | 13 00—13 50 |
| | (b) Medium ... | 13 29—13 18 | ... | ... | ... | 13 67 | 13 79—14 56 | 13 49—14 85 | ... | 8 80—10 50 | ... | 11 75—12 75 | 13 00 |
| | (c) Coarse ... | 11 41 | ... | ... | ... | 12 75 | ... | 12 60—14 62 | ... | ... | ... | 11 50—12 00 | 12 00—12 50 |
| 2 Rice ... | (a) Fine ... | 26 09—27 69 | 27 34—29 59 | 29 51—31 23 | 24 30—25 02 | 24 94 | 26 79—27 14 | 19 97—27 75 | 20 33—21 67 | 19 25—23 25 | ... | 23 25—24 50 | 29 00—30 00 |
| | (b) Medium ... | 21 91—22 93 | 20 36—22 96 | 24 50—29 61 | 23 00—23 80 | 21 86 | 24 35—25 74 | 18 17—24 50 | 18 67—20 03 | 16 00—20 75 | 18 50 | 20 00—22 00 | 24 00—25 00 |
| | (c) Coarse ... | 17 21—19 65 | ... | 23 50—24 50 | 20 38—21 87 | 17 08 | 20 17—21 57 | 16 67—18 68 | 17 33—18 00 | ... | ... | 17 25—19 25 | 23 00—23 50 |
| 3 Wheat ... | White ... | 27 48—27 88 | 17 32—28 87 | 18 00—19 00 | ... | 15 37 | 15 34 | 16 33 | 19 00 | 16 00—25 00 | 23 00 | 25 50—25 56 | 24 00—24 50 |
| Wheat Flour ... | " ... | 25 76—26 11 | ... | ... | ... | ... | ... | ... | ... | ... | 24 50 | 21 00—23 00 | ... |
| 4 Jowar ... | " ... | 13 19—16 54 | 14 54 | 16 00—16 81 | ... | 13 12 | 16 50 | 12 74—15 86 | 14 00—14 33 | 10 00—11 00 | 14 50 | 13 00—17 00 | 13 70—15 30 |
| 5 Bajra ... | ... ... | ... | ... | 14 00—15 50 | ... | 14 62 | ... | ... | ... | ... | ... | 13 00—13 50 | 12 80—13 00 |
| 6 Barley ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Maize ... | ... ... | 14 25—15 19 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 50—12 75 |
| 8 Ragi ... | ... ... | 14 28—15 39 | 14 25—15 00 | 13 50—14 50 | 13 53—14 13 | 15 28 | 15 36—15 72 | 15 79—16 08 | 12 67—13 00 | 12 50—13 00 | ... | 14 00—14 25 | ... |
| 9 Other cereals— | | | | | | | | | | | | | |
| (i) ... | ... | | | | | | | | | | | | |
| (ii) ... | ... | | | | | | | | | | | | |
| 10 Subsidiary Food Crops— | | | | | | | | | | | | | |
| (i) Sweet Potatoes. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya ... | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| II. Pulses (Whole pulses)— | | | | | | | | | | | | | |
| 1 Gram ... | ... ... | 16 87—19 87 | 21 74—22 56 | ... | 19 04 | 19 58 | 19 50—20 50 | 17 13—19 33 | 17 00 | 12 50—18 00 | 17 00 | 17 50—19 50 | 16 50—17 00 |
| 2 Arhar (Tur) ... | — — | [illegible] | [illegible] | ... | ... | 20 24 | 17 16 | 16 65—18 77 | 25 00 | 21 00 | 15 00 | 16 00—16 50 | 15 50—16 75 |
| 3 Mung ... | ... ... | 21 45—24 00 | 26 44—29 92 | 15 00—16 50 | ... | ... | 21 48 | 20 88—26 80 | 21 00—23 00 | 20 00—20 50 | 17 00 | 14 00—16 00 | 19 00—19 50 |
| 4 Urd ... | ... ... | ... | 34 78—37 50 | ... | 28 21 | ... | 20 86 | 29 51—22 54 | 18 00 | 21 75—22 00 | 15 00 | 15 00—16 50 | 18 00—18 25 |
| 5 Masur ... | ... ... | ... | ... | 16 00—18 00 | 20 04 | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Other pulses— | | | | | | | | | | | | | |
| (i) Avare ... | ... ... | 13 54—16 40 | 23 31—24 70 | ... | 20 40—21 76 | 18 04 | ... | 14 11—17 37 | ... | 12 50—14 50 | ... | ... | 17 75—18 25 |
| (ii) Horsegram ... | ... ... | 11 66—11 98 | 13 21 | 12 50—13 50 | 11 48—12 48 | 11 00 | ... | 12 17—13 50 | 16 00 | 12 50—13 00 | ... | 13 50—14 00 | 14 00—14 50 |
| (iii) Cowpea ... | ... ... | 20 50—24 60 | 21 00—27 00 | 14 50—16 50 | 20 40—21 12 | 17 88 | ... | 17 55—25 59 | 17 00 | ... | ... | ... | ... |
| III. Sugar and Gur— | | | | | | | | | | | | | |
| 1 Gur ... | (a) Sort I ... | 29 12 | 27 33 | 12 25—15 50 | 22 28—24 00 | 21 86 | 23 38 | 20 50—23 91 | ... | 24 00—24 50 | 26 00 | 24 00—26 75 | 24 00—26 00 |
| | (b) Sort II ... | 27 44 | 24 00 | 10 00—12 00 | ... | 20 00 | 20 25 | ... | ... | 21 50—22 00 | 23 00 | 21 00—24 00 | 21 50—22 50 |
| 2 Sugar refined ... | D. 24 ... | 44 18 | ... | ... | ... | 41 50 | 42 90 | ... | ... | 40 00—42 00 | ... | ... | 44 00 |
| IV. Oilseeds, oils and oilcake.— | | | | | | | | | | | | | |
| 1 Groundnut ... | (a) Unshelled ... | 14 19 | ... | 16 00—22 50 | 21 00 | 26 50 | 23 45—24 39 | 17 00—26 24 | 20 00—21 00 | 21 00—24 00 | 23 00 | 23 00—24 50 | 24 00—26 00 |
| | (b) Machine shelled | 28 62—29 67 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 31 00 | ... |
| Groundnut oil | ... ... | 60 50 | 65 00 | 53 00—57 00 | 61 72 | 65 60 | 66 00 | 76 95 | 67 00 | 40 00—43 00 | 63 00 | 66 00—68 00 | 51 00—55 00 |
| Groundnut oil-cake. | ... ... | 9 56 | ... | ... | 13 28 | 14 76 | ... | 15 57 | 13 50 | ... | ... | 12 50—13 00 | 12 00—13 00 |
| 2 Sesamum ... | (a) White ... | 27 31—28 81 | ... | ... | ... | ... | 28 09—30 10 | ... | ... | ... | 33 00 | ... | 33 00—34 00 |
| | (b) Black ... | ... | 30 00 | ... | 28 10 | ... | ... | ... | ... | ... | 33 00 | ... | ... |
| Sesamum oil ... | ... ... | 75 31 | ... | 54 00—62 00 | ... | ... | 97 50 | ... | ... | ... | ... | ... | ... |
| Sesamum oil-cake. | ... ... | 13 94 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Castor seed ... | ... ... | 19 94—20 94 | ... | ... | 20 23 | 20 67 | 22 44 | 19 36—23 62 | ... | 15 25—15 75 | 20 00 | ... | 19 00—19 50 |
| Castor oil ... | ... ... | 61 75 | 57 00—68 00 | ... | 65 14 | 54 00 | 66 00 | 68 33 | 56 00 | 41 00—42 50 | ... | ... | ... |
| Castor oilcake... | ... ... | 29 00—29 13 | ... | 19 00—23 00 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 Rape & Mustard | (a) Black ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Yellow ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 40 00 | ... | 40 00—41 00 |

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mustard oil ... | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mustard oilcake | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5 Linseed ... | (a) Brown bold | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Brown small | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6 Toria | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 Cocoanut ... | (a) Nuts (Per 1,000) | | 180 00—260 00 | 350 00—350 00 | ... | 255 00—275 00 | 350 00 | 240 00—320 00 | 125 00—309 60 | 250 00—300 00 | 200 00—300 00 | 300 00 | 240 00—270 00 | 250 00—260 00 | | |
| | (b) Copra ... | | 82 00—86 00 | ... | ... | 89 00—105 00 | 75 00 | 78 00— 94 00 | 82 00 | 82 00 | 91 50—97 25 | 80 00 | 78 00— 78 00 | 75 00—80 00 | | |
| Cocoanut oil ... | ..... | ... | 94 00 | 96 00— 98 00 | ... | ... | 90 00 | 97 50 | 99 09 | 92 00 | 75 00—78 50 | 99 00 | 95 00— 96 00 | 93 00—96 00 | | |
| Cocoanut oilcake | ..... | ... | 11 00 | ... | ... | ... | ... | ... | ... | ... | ... | 24 50 | ... | ... | | |
| 8 Other oil seeds ... | Nigerseed | ... | 16 75—17 81 | ... | ... | 22 50 | ... | ... | ... | ... | ... | 90 00 | 91 00 | ... | | |
| 9 Vegetable oil ... | (Vanaspathi) | ... | 94 00 | ... | ... | ... | ... | ... | ... | 97 00 | ... | | | | | |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | | | | | |
| (i) Fruits.— | | | | | | | | | | | | | | | | |
| 1 Mangoes ... | Per gross | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 2 Plantains ... | Do | ... | 5 04— 8 64 | 3 50— 4 00 | 6 25— 8 25 | 8 00—9 00 | 4 50 | 3 50— 8 75 | 8 50— 5 60 | 4 00— 6 00 | ... | 4 00 | 4 50— 6 00 | 4 30—7 50 | | |
| 3 Oranges ... | Do | ... | 14 04—15 72 | 30 00—36 00 | 19 75—21 00 | 12 00—30 00 | 16 00 | 7 57—24 00 | 10 00—15 00 | 19 00—30 00 | 20 75—40 75 | ... | 24 00— 30 00 | ... | | |
| 4 Dates ... | ..... | ... | ... | ... | ... | ... | 48 00 | ... | ... | ... | ... | ... | 70 00— 90 00 | ... | | |
| 5 Cashew kernals, etc. | ..... | ... | ... | ... | ... | ... | 125 00 | ... | ... | ... | ... | ... | ... | ... | | |
| (ii) Vegetables.— | | | | | | | | | | | | | | | | |
| 1 Potatoes ... | ..... | | 10 00—12 00 | ... | 14 00—16 50 | 14 29— 17 14 | 12 00 | 13 00 | 13 66 | 13 00—15 00 | ... | 18 50 | 10 50— 12 00 | ... | | |
| 2 Onions ... | ..... | | 3 25— 3 50 | 4 00 | 8 00—10 50 | 12 00— 12 50 | 8 00 | 9 75 | 9 39 | 9 00—10 00 | ... | 6 50 | 7 00— 9 00 | ... | | |
| (iii) Nuts — | | | | | | | | | | | | | | | | |
| 1 Cashewnuts ... | ..... | | 120 00—290 00 | ... | ... | ... | ... | ... | 158 75 | 186 67—246 00 | ... | 160 00 | 100 00—140 00 | ... | | |
| 2 Areca nuts ... | ..... | | ... | 160 00—240 00 | ... | 180 00—205 00 | 240 00 | ... | 231 66 | ... | ... | 142 00 | 160 00—180 00 | 162 00—170 00 | | |
| VI. Fibres— | | | | | | | | | | | | | | | | |
| 1 Cotton | (a) Kapas | ... | ... | ... | 27 25—32 50 | ... | ... | ... | ... | ... | ... | 48 00 | ... | 32 00—35 00 | | |
| | (b) Lint | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 85 00—90 00 | | |
| | (c) Seed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 75—13 50 | | |
| VII. Tobacco.— | (a) Country— | | | | | | | | | | | | | | | |
| | (i) Leaf | Per lb. | 2 84 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (ii) Pulah | ,, | 2 40 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (b) Virginia— | ,, | 2 18 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (i) Leaf | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| | (ii) Pulah | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| VIII. Livestock.— | | | | | | | | | | | | | | | | |
| 1 Work cattle.— | | | | | | | | | | | | | | | | |
| (i) Work bullocks ... | (a) Class I | Per head | 200 00—800 00 | 250 00—300 00 | 220 00—280 00 | 170 00—225 00 | 225 00—350 00 | 370 00—400 00 | ... | 80 00—140 00 | 420 00—510 00 | 500 00 | 150 00—275 00 | 400 00—800 00 | | |
| | (b) ,, II | Do | 150 00—200 00 | 150 00—200 00 | 150 00—200 00 | 100 00—150 00 | 150 00—250 00 | 200 00—250 00 | ... | 40 00— 80 00 | 395 00—410 00 | 300 00 | 125 00—150 00 | 200 00—400 00 | | |
| (ii) Buffalo bulls ... | (a) ,, I | Do | 150 00—250 00 | ... | 120 00—160 00 | ... | 70 00—150 00 | 75 00 | ... | 350 00—500 00 | 299 00—318 00 | 250 00 | 150 00—200 00 | 200 00—300 00 | | |
| | (b) ,, II | Do | 100 00—150 00 | ... | 100 00—150 00 | ... | 45 00— 85 00 | 50 00 | ... | 120 00—350 00 | 260 00—290 00 | 150 00 | 100 00—150 00 | 100 00—150 00 | | |
| 2 Milch cattle— | | | | | | | | | | | | | | | | |
| (i) Cows ... | (a) Class I | Do | 300 00—700 00 | 250 00—300 00 | 150 00—200 00 | 120 00—150 00 | 140 00—240 00 | 200 00—280 00 | ... | 250 00—450 00 | 210 00—250 00 | 200 00 | 125 00—175 00 | 150 00—200 00 | | |
| | (b) Class II | Do | 125 00—250 00 | 100 00—150 00 | 100 00—150 00 | 75 00— 90 00 | 80 00—150 00 | 140 00—210 00 | ... | 75 00—150 00 | 160 00—290 00 | 100 00 | 125 00—175 00 | 200 00—250 00 | | |
| (ii) Buffaloes ... | (a) Class I | Do | 150 00—300 00 | 200 00—250 00 | 150 00—250 00 | 200 00—230 00 | 150 00—225 00 | 200 00—300 00 | ... | 300 00—400 00 | 160 00—255 00 | 300 00 | 175 00—225 00 | 100 00—200 00 | | |
| | (b) Class II | Do | 125 00—250 00 | 110 00—150 00 | 100 00—150 00 | 100 00—100 00 | 100 00—175 00 | 150 00—200 00 | ... | 60 00—250 00 | 180 00—230 00 | ... | 150 00—175 00 | 300 00—600 00 | | |
| 3 Sheep ... | ..... | Per score | 600 00—1,250 00 | ... | 320 00—460 00 | 100 00—175 00 | ... | 575 00—700 00 | ... | 600 00—800 00 | ... | 200 00 | 500 00—800 00 | ... | | |
| IX. Live-stock products— | | | | | | | | | | | | | | | | |
| 1 Wool (Specify the varieties) | (a) ..... | Per lb. | 1 00— 1 31 | ... | ... | ... | 1 62 | ... | ... | ... | ... | ... | 1 75—1 80 | ... | | |
| | (b) ..... | Do | 0 81— 0 94 | ... | ... | ... | 1 37 | ... | ... | ... | ... | ... | 1 12 | ... | | |

943

| Commodities | Variety/Quality | Bangalore Rs.nP. Rs.nP. | Chikmagalur Rs.nP. Rs.nP. | Chitradurga Rs.nP. Rs.nP. | Hassan Rs.nP. Rs.nP. | Kolar Rs.nP. Rs.nP. | Mandya Rs.nP. Rs.nP. | Mysore Rs.nP. Rs.nP. | Shimoga Rs.nP. Rs.nP. | Tumkur Rs.nP. Rs.nP. | Dharwar Rs.nP. Rs.nP. | Belgaum Rs.nP. Rs.nP. | Bijapur Rs.nP. Rs.nP. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Centres | | | | | | | | | | | |
| 2 Hides— | | | | | | | | | | | | | |
| (i) Cow hides—Raw | (a) | ... | ... | ... | ... | 0 85 | ... | ... | ... | ... | 0 61 | 0 53 | 0 50 |
| | (b) | 1 61 | ... | ... | ... | ... | ... | ... | ... | ... | 0 31 | 0 47 | 0 34 |
| Tanned ... | (a) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 50 | 3 25 | 2 00 |
| | (b) | 2 31 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Buffalo hides —Raw ... | (a) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tanned ... | (a) | 1 91 | ... | ... | ... | ... | ... | ... | ... | ... | 0 56 | 0 50 | 0 50 |
| | (b) | 2 44 | ... | ... | ... | ... | ... | ... | ... | ... | 2 50 | 3 25 | 2 00 |
| 3 Skins— | | | | | | | | | | | | | |
| (i) Goatskins—Raw | (a) | 0 56 | ... | ... | ... | 0 47 | ... | ... | ... | 0 55—0 84 | 0 56 | 0 35—0 40 | 0 40 |
| | (b) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0 63 | ... | ... |
| Tanned ... | (a) | 2 12 | ... | ... | ... | ... | ... | ... | ... | ... | 1 50 | 0 37 | ... |
| | (b) | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0 75 | 0 33—0 37 | ... |
| (ii) Sheepskins— Raw ... | (a) | 0 50 | ... | ... | ... | 0 47 | ... | ... | ... | 0 39—0 66 | 0 56 | ... | 0 40 |
| | (b) | 2 03 | ... | ... | ... | ... | ... | ... | ... | ... | 0 32 | ... | ... |
| Tanned ... | (a) | 2 36 | ... | ... | ... | ... | ... | ... | ... | ... | 1 50 | ... | 0 45—0 50 |
| | (b) | 3 37 | ... | ... | ... | ... | ... | ... | ... | ... | 0 75 | ... | ... |
| 4 Ghee ... | (a) Agmark | ... | ... | ... | 3 50 | ... | ... | ... | ... | ... | 2 00 | ... | ... |
| | (b) Ungraded per lb. | 2 00—2 64 | ... | ... | ... | ... | ... | ... | 2 75 | ... | ... | 3 12—3 19 | ... |
| X. Fodder— | | | | | | | | | | | | | |
| 1 Bran ... | (a) Wheat | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) Paddy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 Straw ... | (a) Ragi | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 Stalks ... | (a) Jola | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | (b) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| XI. Condiments and spices— | | | | | | | | | | | | | |
| 1 Turmeric ... | ... | 27 00—36 00 | 40 00—45 00 | ... | ... | 41 00 | ... | 44 25 | 44 00—52 00 | 52 00 | 40 00 | 34 00—38 00 | 18 00—18 75 |
| 2 Tamarind ... | ... | 29 00—52 00 | 30 00—42 00 | 15 00—18 00 | ... | 36 00—53 00 | 32 50—52 00 | 24 32—52 25 | 44 00—52 00 | 30 00—66 00 | 25 00 | 35 00—40 00 | ... |
| 3 Dry Chillies ... | ... | 80 00—95 00 | 70 00-105 00 | 53 00—57 00 | ... | 103 38 | 91 00—104 00 | 44 25—105 00 | 75 00—120 00 | 93 00—99 00 | 125 00 | 70 00—90 00 | 85 00—90 00 |
| 4 Garlic ... | ... | 35 00—40 00 | ... | ... | ... | 115 00 | ... | 29 75 | 31 35 | 36 00—37 50 | 40 00 | ... | 10 25—10 50 |
| 5 Pepper ... | ... | 108 00—110 00 | ... | ... | ... | 120 00 | ... | 225 00 | ... | 225 00—300 00 | 160 00 | ... | ... |
| 6 Cardamom ... | ... | 780 00—840 00 | ... | ... | ... | 900 00 | ... | ... | ... | ... | 940 00 | ... | ... |
| XII. Miscellaneous— | | | | | | | | | | | | | |
| 1 Timber ... | ... per c.ft. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

## RETAIL PRICES

Fortnightly return of retail prices prevailing in important Markets on the last day of the fortnight ending 29th February 1960.
Prices in seers and chataks of (80 and 5 tolas respectively) per Rupee unless otherwise stated. When quality is not specified fair average quality is implied.

| | | Rs. a. Rs. a. | Rs. a. Rs. a. | Rs. a. R. a. | Rs. a. | Rs. a. | Rs. a. | Rs. a. Rs. a. | Rs. a. | Rs. a. Rs. a. | Rs. a. | Rs. a. Rs. a. | Rs. a. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. Cereals— | | | | | | | | | | | | | |
| 1 Paddy ... | Coarse | 4 0—4 2 | ... | ... | ... | 2 6 | 3 8 | ... | 2 12 | 2 10—3 1 | ... | 3 12—4 0 | ... |
| 2 Rice ... | do | 2 0—2 2 | 1 5—1 15 | 1 15—2 0 | 1 12 | 2 6 | 1 8 | 1 8 | 1 11 | 1 7—1 9 | 1 5 | 1 12—2 1 | 1 10 |
| 3 Wheat ... | White | 1 2—1 6 | 1 5—2 0 | 1 14—2 0 | 1 2 | 2 15 | 1 14 | 2 0 | 2 6 | 2 6—3 0 | 1 11 | 1 3—1 4 | 1 11 |
| 4 Wheat Flour ... | do | 1 7—1 10 | ... | 2 5—2 9 | 1 10 | ... | ... | ... | ... | ... | ... | ... | 1 2 |
| 5 Jowar ... | do | 2 8—2 12 | ... | ... | ... | 3 3 | 2 4 | 2 2 | 2 6 | ... | 2 11 | 2 5—2 8 | 2 9 |
| 6 Bajra ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 8—2 12 | 2 10 |
| 7 Barley ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 11 |
| 8 Maize ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 Ragi ... | ... | 2 4—2 10 | 2 10—2 14 | 2 0—2 6 | 2 6 | 2 13 | 2 4 | 2 1 | 2 6 | 2 13—2 14 | ... | 2 10—2 12 | ... |
| 10 Other cereals ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (i) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11 Subsidiary Food crops | | | | | | | | | | | | | |
| (i) Sweet potatoes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (ii) Tapioca ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iii) Papaya ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| (iv) Groundnut cake flour. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pulses— | | | | | | | | | | | | | | | |
| 1 Gram | (a) Whole | 2 4—2 8 | 2 10 | 1 10—1 12 | ... | 2 4 | 2 0 | 1 3 | 2 0 | 2 13 | 2 11 | 1 11—1 0 | 2 0 | | |
| | (b) Split (without skin) | 2 0—2 6 | 1 15 | ... | 2 4 | 2 4 | 1 12 | 1 | 1 11 | .. | 2 12 | 2 0 | 1 8 | | |
| | (c) Flour | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 2 Arhar (Tur) | (a) Whole | 2 5—2 7 | 1 3 | ... | 1 11 | ... | 2 0 | ... | 1 2 | 3 0 | 2 0 | 1 0—1 2 | 1 15 | | |
| | (b) Split (without skin) | 1 2—1 4 | 1 5 | 1 2—1 4 | ... | 1 5 | 1 6 | 1 2 | 1 7 | 1 12 | 1 4 | 1 5 | 2 7 | | |
| 3 Moong | (a) Whole | 1 6—1 10 | 1 7 | 1 10—1 12 | 1 6 | | 1 4 | 1 2 | 1 7 | 1 12 | 1 4 | 1 8 | 2 0 | | |
| | (b) Split (without skin) | 1 2—1 4 | 1 3 | 1 6—1 8 | 1 2 | 1 0 | 1 1 | 1 4 | 1 0 | 1 12 | 1 0 | 1 8 | 1 12 | | |
| 4 Urd | (a) Whole | 2 2—2 5 | 2 0 | 2 0—2 1 | 1 3 | ... | 1 8 | 1 2 | 2 6 | 1 12 | 1 2 | ... | 2 0 | | |
| | (b) Split (without skin) | 1 6—1 8 | 1 5 | 1 6—1 8 | 1 4 | ... | 1 2 | 1 2 | 1 7 | 1 8 | ... | 1 5—1 6 | ... | | |
| 5 Tur | (a) Whole | 2 2—2 4 | ... | ... | 1 14 | ... | ... | ... | ... | ... | ... | 1 4—1 6 | 2 0 | | |
| | (b) Split (without skin) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 6 Other pulses— (i) Avare | (a) Whole | 1 10—1 12 | 1 8 | ... | 1 7 | ... | ... | 2 0 | ... | 2 0 | 1 5 | 1 6—1 8 | 2 0 | | |
| | (b) Split (without skin) | ... | ... | 1 3—1 5 | 1 12 | 1 10 | ... | 1 4 | ... | ... | 8 0 | ... | ... | | |
| (ii) Horsegram | | 2 6—2 14 | 2 10 | 2 0—2 8 | 2 11 | 3 15 | ... | 2 2 | 2 8 | ... | ... | 1 4—1 8 | 2 10 | | |
| (iii) Cowpea | | 1 5—1 10 | 1 11 | 1 8—1 10 | 1 8 | 2 4 | ... | 1 2 | 1 10 | ... | ... | ... | ... | | |
| II. Sugar and Gur.— | | | | | | | | | | | | | | | |
| 1 Gur | (a) Sort I | 2 0 | ... | 1 2—1 4 | 1 5 | 1 0 | 1 4 | 1 8 | ... | 1 2 | 1 5 | 1 9 | 1 9—1 10 | | |
| | (b) Sort II | 1 11 | ... | 2 0—2 1 | ... | 1 2 | 1 5 | ... | ... | 1 5 | 1 10 | 1 9 | 2 0—2 1 | | |
| 2 Sugar refined | D. 24 | 0 13 | 0 13 | ... | 0 13 | ... | ... | ... | 0 13 | 0 14 | 0 9 | 0 8 | 0 14 | | |
| V. Oils.— | | | | | | | | | | | | | | | |
| 1 Groundnut oil | ..... | 0 9 | 0 9 | 0 9 | 0 7½ | 0 9 | 0 7 | 0 9 | 0 11 | 0 9 | 0 10 | 0 9 | 0 10 | | |
| 2 Sesamum oil | ..... | ... | ... | 0 6—0 8 | 0 7 | 0 7 | 0 6 | ... | ... | ... | ... | 0 6 | ... | | |
| 3 Castor oil | ..... | 0 8—0 9 | 0 9 | 0 9 | ... | 0 6½ | 0 6½ | 0 8 | 0 9 | 0 9 | ... | ... | 0 7 | | |
| 4 Mustard oil | ..... | 0 6—0 7 | ... | ... | ... | 0 5 | 0 5 | ... | ... | ... | ... | ... | ... | | |
| 5 Linseed oil | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0 6 | ... | | |
| 6 Coconut oil | ..... | 0 5—0 6 | 0 5 | 0 6 | 0 6½ | 0 6½ | 0 4 | 0 5 | 0 8 | 0 8 | 0 6 | ... | ... | | |
| 7 Vanaspati | ..... | ... | 0 5 | ... | ... | ... | ... | ... | ... | 0 4 | | | | | |
| V. Fruits, Vegetables and Nuts.— | | | | | | | | | | | | | | | |
| (i) Fruits— | | | | | | | | | | | | | | | |
| 1 Mangoes | Per dozen | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 2 Plantains | Do | 0 31—0 66 | 0 75 | 0 50—0 75 | 0 25—0 75 | 0 25—0 75 | 0 37—0 75 | 0 50—0 75 | 0 75 | 0 75 | 0 37 | 0 37—0 50 | ... | | |
| 3 Oranges | Do | 1 00—2 00 | 1 75—3 00 | 0 31—1 00 | 2 25—3 00 | 2 00 | 2 15—2 35 | 0 75—2 00 | 1 75—3 00 | 1 50—2 50 | ... | 2 00—2 50 | ... | | |
| 4 Dates | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 5 Cashew kernals | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| (ii) Vegetables— | | | | | | | | | | | | | | | |
| 1 Potatoes | ..... | 2 0—2 6 | 3 0 | 4 0 | 3 0 | 3 0 | 2 6 | 3 0 | 3 0 | 3 2 | 2 0 | 2 4—3 0 | 2 4 | | |
| 2 Onions | ..... | 3 0—4 0 | 4 0 | 5 0—6 0 | 4 4 | 4 0 | 3 2 | 4 0 | 4 0—4 2 | 3 8 | 5 0 | 4 0—5 0 | 3 12 | | |
| (iii) Nuts— | | | | | | | | | | | | | | | |
| 1 Cashewnuts | ..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0 5 | | 0 8 | | |
| 2 Areca nuts | ..... | ... | 0 3—0 4 | ... | 0 4 | 0 4 | ... | 0 4 | ... | 0 4 | 0 11 | ... | ... | | |
| VI. Tobacco | Leaf Per pound | ... | 2 25 | ... | 1 75 | ... | ... | ... | 2 25 | ... | 2 50 | ... | 2 62—2 75 | | |
| VII. Livestock products | | | | | | | | | | | | | | | |
| 1 Milk | ..... | 1 5—1 12 | 1 12 | 2 0—2 2 | 1 12—2 0 | 2 0 | 1 8—2 0 | 2 0 | ... | 1 8—1 12 | 2 0 | 2 0 | 1 12—2 0 | | |
| 2 Ghee | (a) Agmark | 0 2 | ... | ... | 0 3 | ... | ... | ... | ... | 0 2—0 3 | 0 3 | ... | ... | | |
| | (b) Ungraded | 0 8—0 4 | 0 3 | ... | ... | 0 4 | ... | 0 4 | 0 3 | 0 4 | ... | 0 4 | 0 8 | | |
| 3 Eggs | (i) A Grade Per dozen | 2 00 | 2 50 | ... | 1 87 | ... | 1 50 | 1 75 | 2 50 | 1 50 | 1 50 | ... | 2 75 | | |
| | (ii) B Grade do | 1 75 | 2 00 | 1 50—1 66 | 1 50 | 1 50 | 1 25 | 1 62 | ... | ... | ... | 1 50 | 1 10—1 75 | | |
| | (iii) C Grade do | 1 41 | 1 50 | ... | 1 87 | ... | 1 12 | 1 50 | 1 50 | ... | ... | ... | 1 25 | | |
| 4 Mutton | ..... | 0 6 | 0 6 | 0 5—0 6 | ... | 0 6 | 0 6 | 0 5—0 6 | 0 6 | 0 5—0 6 | 0 6 | 0 8 | 0 8 | | |
| 5 Beef | ..... | 0 12 | ... | ... | ... | ... | 0 8 | ... | ... | ... | 0 12 | 0 10 | 1 0 | | |
| VIII. Condiments and Spices— | | | | | | | | | | | | | | | |
| 1 Turmeric | ..... | 1 0—1 2 | 1 4 | 1 0 | 1 1 | 1 0 | 1 0 | 1 2 | 1 2 | 1 0 | 0 14 | 1 0 | 1 11 | | |
| 2 Tamarind | ..... | 0 9—0 10 | 1 0 | 0 10—0 11 | 0 9 | 1 2 | ... | 1 2 | 1 8 | 1 0—1 2 | 1 0 | 1 0 | ... | | |
| 3 Dry chillies | ..... | 0 4—0 5 | 0 6 | 0 7—0 8 | 0 8 | 0 5 | 0 6 | 0 5 | 0 7 | 0 6 | 0 4½ | 0 8—0 10 | 0 6 | | |
| 4 Garlic | ..... | 1 0—1 2 | 1 0 | ... | 1 0 | ... | 1 0 | 1 0 | 1 0 | 1 0 | 0 12 | 0 8—0 12 | 1 4 | | |
| 5 Pepper | ..... | 0 4—0 4 | 0 4 | ... | ... | 0 2 | 0 3½ | 0 3 | 0 4 | 0 2 | 0 3 | ... | ... | | |
| 6 Cardamom | ..... | ... | 0 8 | ... | ... | 0 8 | ... | ... | ... | 0 1 | 0 8 | ... | ... | | |
| IX. Miscellaneous— | | | | | | | | | | | | | | | |
| 1 Salt | ..... | 12 0—14 0 | 8 0—12 0 | 12 0—14 0 | 12 0 | 16 0 | 14 0 | 12 0 | 8 0—12 0 | 8 0—12 0 | .. | 8 0 | 8 0 | | |
| 2 Kerosene oil | ..... Per gallon | 1 62—1 75 | 1 75 | 1 75 | 2 00 | 1 75 | 1 75 | 1 50 | 1 75 | 1 75 | 1 44 | 1 60 | 1 50 | | |
| 3 Firewood | Per Rly. maund | 2 19—2 50 | ... | ... | ... | 1 8—2 0 | ... | ... | ... | 1 12 | ... | ... | ... | | |
| 4 Coarse cloth | ..... Per yard | 0 75—1 00 | 0 75 | 0 50—0 75 | 0 87—1 25 | 0 62 | 0 87 | ... | 0 75 | 0 81—1 00 | ... | ... | ... | | |

For *Chief Marketing Officer.*

## OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE.

Statement showing the wholesale prices of various commodities for the week ending 24th June 1960 at Mangalore.

| Sl. No. | Commodity | Variety | Local unit of transaction (wholesale) | Its equivalent in terms of lb. | Wholesale prices per wholesale local unit of transaction on 24 th June 1960 | Wholesale price per standard maund of 82-2/7 lb. on ..... (previous week) | Wholesale price per standard maund of 82-2/7 lb. on ..... (current week) | Reasons for variations over 10 per cent in the prices as compared with the previous |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | Rs. nP. | Rs. nP. | Rs. nP. | |
| 1 | Paddy I Sort | Maskathi | Moora | 69·84 lbs | 11 50 | ... | .. | |
| 2 | II Sort | Guddu | " | " | 10 50 | ... | ... | ... |
| 3 | III Sort | Suggi | " | " | 10 00 | ... | ... | ... |
| 4 | Rice I Sort | Maskathi | " | 86·4 lbs. | 30 00 | ... | ... | ... |
| 5 | II Sort | Guddu | " | " | 27 50 | ... | ... | ... |
| 6 | III Sort | Suggi | " | " | 26 00 | ... | ... | ... |
| 7 | Ragi | ... | " | 84 lbs. | 16 00 | ... | ... | ... |
| 8 | Cane jaggery | I Sort | Candy | 560 lbs. | 240 00 | ... | .. | ... |
| 9 | " | II Sort | " | " | 170 00 | ... | .. | ... |
| 10 | Coconuts | Unhusked | 1,000 Nuts | .. | 300 to 320 00 | ... | .. | ... |
| 11 | " | Husked | " | | 270 to 290 00 | ... | ... | ... |
| 12 | Copra | Office | Candy | 700 lbs | 475 to 490 00 | ... | ... | ... |
| 13 | " | Divi | " | " | ... | ... | ... | ... |
| 14 | " | Dilpasand | " | " | ... | ... | ... | ... |
| 15 | Cocoanut Oil, I Class | ... | Maund | 28 lbs | 83 00 | | ... | ... |
| | " II " | | | | 82 00 | | ... | ... |
| 16 | Cashew Kernels | .. | Cwt. | 112 lbs. | 260 to 265 00 | ... | ... | ... |
| 17 | Cashew nuts | ... | Moora | 65 lbs. | .. | ... | ... | ... |
| | " | | | 672 " | 210 to 230 00 | ... | ... | ... |
| 18 | Cardamoms | Mysore | Maund | 28 lbs. | 230 to 260 00 | .. | ... | . |
| 19 | " | Coorg | " | 28 " | 225 to 270 00 | ... | ... | ... |
| 20 | Malabar Black Pepper | ... | Cwt. | 112 lbs. | 290 to 310 00 | ... | ... | ... |
| 21 | Ginger | ... | " | " | ... | ... | ... | ... |
| 22 | Tobacco | Chewing | Maund | 28 lbs. | 45 to 60 00 | ... | .. | ... |
| 23 | " | Snuff | " | " | 85 to 90 00 | ... | ... | ... |
| 24 | " | Beedi | " | " | 90 to 100 00 | ... | ... | ... |
| 25 | Areca nuts | Unhusked | 1,000 Nuts | ... | 25 to 50 00 | ... | ... | ... |
| 26 | " | Husked Old | Cwt. | 112 lbs. | ... | ... | ... | ... |
| 27 | " | " New | " | " | 230 to 250 00 | ... | ... | ... |
| 28 | Gunny Bag | ... | Each | ... | ... | ... | ... | ... |
| 29 | Chillies | Kumpta | Candy | 560 lbs. | 800 to 900 00 | ... | ... | ... |
| 30 | " | Local | Maund | 28 lbs. | 29 to 30 00 | ... | ... | |
| 31 | " | Kasaragod | " | 28 lbs. | 25 to 26 00 | ... | ... | ... |
| | RETAIL PRICES. | | | | | | | |
| | Tobacco | Chewing | Per lbs. | ... | 2 00 | ... | ... | ... |
| | | Snuff | " | ... | 2 75 | ... | ... | ... |
| | | Beedi | " | ... | 3 50 | ... | ... | ... |
| | CATTLE FOOD. | | | | | | | |
| | Groundnut Oil Cake | ... | Bag | 154 lbs. | 25 00 | ... | ... | ... |
| | Cotton Seeds | ... | " | 140 lbs. | ... | ... | .. | ... |
| | Horsegram | ... | " | 235 lbs | 35 to 38 00 | ... | ... | ... |

N.B.—Columns (7) and (8) should be in terms of rupees and naye Paise.

C. J. PADMANABHA,
*Dy Commr.*

4891

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE.

### WEEK ENDED SATURDAY, JUNE 25, 1960.

The State remained free from Plague during the week as in the previous week and also in the corresponding weeks in 1958 and 1959.

A total of 72 attacks with 12 deaths from Small-pox were reported from the Taluks of Belgaum, Gokak, Kalghatgi, Shirahatti, Udpi, Mangalore, Ganavati, Koppal, Badami, Bilgi, Saundatti, Athani, Kudlige and in the Cities of Kolar Gold Fields and Belgaum, and in the towns of Kolar, Bellary, Hubli and Gadag-Betgere.

The State remained free from cholera during the week.

A total of nil attacks and nil deaths from Kyasanur Forest Diseases was reported from Shimoga District.

The State remained free from Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza.

The total mortality for Bangalore Corporation amounted to 253 (63 in hospitals) for the week giving a calculated death rate of 10·3 (7·8 excluding hospital deaths) per mile of population (mid-year estimated) as against 10·3 (7·9 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths were 45 due to Dysentery and Diarrhœa, 3 due to Smallpox, 3 due to Consumption and 202 due to All Other Causes.

The total mortality for Mysore City was 26 (2 in hospitals) for the week representing a calculated death rate of 3·2 (3·2 excluding hospital deaths) per mille of population (mid-year estimated) as against 5·8 (2·7 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths were 11 due to Other Fevers 5 due to Dysentery and Diarrhœa, and 10 due to All Other Causes.

There were 29 deaths (6 in hospitals) for the week from all causes in Kolar Gold Fields City equivalent to a calculated death rate of 8·0 (6·4 excluding hospital deaths per mille of population (mid-year estimated) as against 8·2 (6·5 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths were 2 due to Other Fevers, 6 due to Dysentery and Diarrhœa and 21 due to All Other Causes.

The total mortality for Belgaum City was 43 (26 in hospitals) for the week representing a calculated death rate of 18·8 (7·4 excluding hospital deaths) per mille of population (mid-year estimated) as against 9·1 (9·1 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths were 2 due to Other Fevers, 4 due to Dysentery and Diarrhœa, 3 due to Consumption and 34 due to All Other Causes.

The total mortality for Mangalore City was 65 (60 in hospitals) for the week representing death rate of 20·4 (18·8 excluding hospital deaths) per mille of population (mid-year estimated) as against 9·4 (6·5 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths were 1 due to Dysentry and Diarrhœa, 5 due to Consumption and 59 due to All Other Causes.

S. D. NARAYANA GOWDA,
*Director of Public Health.*

514—sc 40

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.